




# ROLLER SHUTTER DOOR SECTIONS



## Ayrshire Metals Limited

Royal Oak Way, Daventry, Northamptonshire NN11 8NR

Tel: +44 (0) 1327 300990

Email: [sales@ayrshire.co.uk](mailto:sales@ayrshire.co.uk) [www.ayrshire.co.uk](http://www.ayrshire.co.uk)

## 3" CURLY LATH

### 3" (75mm) Lath




Thickness	Available as:		
	Solid	Perforated	Plastisol
0.7mm (22g)	✓	✓	✓
0.9mm (20g)	✓	✓	✗

All supplied cut to length and punched for end locks


## RAILS

8m stock length

Outside




Inside



1.5mm thick

Double Bottom



**Light Duty (1.5mm)**

8m stock length

**Heavy Duty (1.8mm)**

9m stock length

(Alternative cut lengths available at time of stock rolling)


## WINDGUIDES

8m stock length

65mm x 3mm Galvanised

A	B	C	D	t
65	38	40	22	3

All dimensions in mm




## GUIDES

8m stock length

50mm Galvanised & Mild Steel  
63mm Galvanised & Mild Steel  
75mm Galvanised  
100mm Galvanised

A	B	t
50	25id	3
63	25id	3
75	25id	3
100	25id	3

All dimensions in mm




## ANGLES

8m stock length

38mm x 38mm Galvanised  
50mm x 50mm Galvanised & Mild Steel  
75mm x 50mm Galvanised & Mild Steel (3mm)  
100mm x 50mm Galvanised  
75mm x 50mm Galvanised (5mm)

A	B	t
38	38	3
50	50	3
75	50	3
100	50	3
75	50	5

All dimensions in mm



### 3" GALVANISED CURLY LATH

Pre-Galvanised - DX51D +Z275NAC EN10142+A1:1995

### 3" PLASTISOL CURLY LATH

Plastisol coating on a Galvatite Hot-Dip Zinc coated steel - Leather grain finish

Colour Nearest BS or RAL Reference

White	00E55
Honesty	10C31
Goosewing Grey	10A05
Merlin Grey	18B25
Moorland Green	12B21
Heritage Green	RAL 6002
Juniper Green	12B29
Olive Green	12B27
Poppy Red	04E53
Aztec Yellow	10E55
Terracotta	04C39
Vandyke Brown	08B29
Black	00E53
Anthracite	RAL7016
Ocean Blue	18C39
HPS200 Scintilla finish	Sargasso
	RAL 5003



**Note:** Printed colour samples are for guidance only.

### ANGLES / GUIDES / WIND GUIDES / RAILS

Minimum Steel Specification:-

Galvanised DX51D+Z275NAC EN10142+A1:1995

Mild Steel HR15 U.P.BS1449 sect1.2:1991